



Home > 1142000-32

1142000-32 – STUD ASSEMBLY,TURNLOCK FASTENER

✓ Government record, cited

— · BOLT SCREW

PRODUCT OVERVIEW

1142000-32 is STUD ASSEMBLY,TURNLOCK FASTENER.

STUD ASSEMBLY,TURNLOCK FASTENER. Key specifications include diameter: 0.377 INCHES MINIMUM AND 0.384 INCHES MAXIMUM IN, material: STEEL OVERALL, drive_type: SLOTTED, surface_treatment: CADMIUM AND CHROMATE OVERALL, stud_assembly_style: STUD ASSEMBLY, eyelet_outside_diameter: 0.341 INCHES MINIMUM AND 0.348 INCHES MAXIMUM IN. This part is cataloged in the U.S.

Government catalog under NSN 5325-00-001-9016, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

1142000-32

NSN: 5325-00-001-9016
FSC: 5325 — Fastening Devices
CAGE: 60119 — MONADNOCK COMPANY, THE
DBA LISI AEROSPACE (USA)

SPECIFICATIONS


diameter	0.377 INCHES MINIMUM AND 0.384 INCHES MAXIMUM IN
material	STEEL OVERALL
drive_type	SLOTTED
surface_treatment	CADMIUM AND CHROMATE OVERALL
stud_assembly_style	STUD ASSEMBLY
eyelet_outside_diameter	0.341 INCHES MINIMUM AND

0.348 INCHES
MAXIMUM IN

turnlock_stud_head_styleSTUD HEAD

NSN5325-00-001-9016

COMPONENT DIAGRAM



KEY FEATURES

- EYELET OUTSIDE DIAMETER: 0.341 INCHES MINIMUM AND 0.348 INCHES MAXIMUM IN
- DRIVE TYPE: SLOTTED
- DIAMETER: 0.377 INCHES MINIMUM AND 0.384 INCHES MAXIMUM IN
- TURNLOCK STUD HEAD STYLE: STUD HEAD
- SURFACE TREATMENT: CADMIUM AND CHROMATE OVERALL
- MATERIAL: STEEL OVERALL
- STUD ASSEMBLY STYLE: STUD ASSEMBLY

TECHNICAL CHARACTERISTICS

EYELET OUTSIDE DIAMETER	0.341 INCHES MINIMUM AND 0.348 INCHES MAXIMUM IN
DRIVE TYPE	SLOTTED
DIAMETER	0.377 INCHES MINIMUM AND 0.384 INCHES MAXIMUM IN

TURNLOCK STUD HEAD STYLE	STUD HEAD
SURFACE TREATMENT	CADMIUM AND CHROMATE OVERALL
MATERIAL	STEEL OVERALL
STUD ASSEMBLY STYLE	STUD ASSEMBLY

SUBSTITUTES & CROSS-REFERENCES

No substitute or cross-reference records for this part.

LIFECYCLE

NSN status

Active

· U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 1142000-32?

1142000-32 is a STUD ASSEMBLY,TURNLOCK FASTENER.

What is the NSN for 1142000-32?

1142000-32 is cataloged in the U.S. Government catalog under NSN 5325-00-001-9016. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.

 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.