

Home > Maintenance, Repair & Operations Parts > 123717

123717 – MIXER ATTACHMENT, FOOD, KITCHEN MA

✓ Government record, cited

Hama · MRO · MRO_GENERAL

PRODUCT OVERVIEW

123717: MIXER ATTACHMENT,FOOD,KITCHEN MA.

Barely-visible protection: With the "Always Clear" mobile phone case, your Apple iPhone 16e is perfectly protected. The back cover doesn't distract from the mobile phone design and still has everything that good mobile phone protection needs. Anti-yellow tint Transparent mobile phone case without yellowing: many years of enjoyment from your case as the special material composition prevents yellow discolouration Protected side buttons A clean sweep: The mobile phone cover also covers the side buttons - this protects against dust and enables a perfect pressure point Custom-fit Tailor-made mobile phone case: protects what needs to be protected and leaves free what should remain free, e.g.

loudspeaker and charging socket Scratch-resistant Scratch-resistant back cover: Keys, pens and coins don't bother the protective mobile phone case in trouser, hand and jacket pockets thanks to the anti-scratch material Camera p This part is cataloged in the U.S. Government catalog under NSN 5310-00-297-3722, indicating validated use in U.S. government and defense logistics supply chains.

WHERE IT FITS

MRO → MRO_GENERAL → 123717


NSN: 5310-00-297-3722
NIINs: 002973722 , 014934277 , 017012413
FSC: 5310 — Nuts and Washers
CAGE: 56878 — SPS TECHNOLOGIES, LLC DBA PB FASTENERS (USA)

SPECIFICATIONS

material	STEEL COMP 4130 OR STEEL COMP 4340 OR STEEL COMP 3140 OR STEEL COMP 8740 NUT
nut_style	DOUBLE HEXAGON
temp_rating	250.0 FAHRENHEIT NOMINAL DEG F
thread_class	3B
thread_series	UNIFIED NATIONAL JOINT FINE (UNJF)

overall_height	0.516 INCHES NOMINAL IN
locking_feature	PREVAILING TORQUE WITH NONMETALLIC INSERT
special_features	PNEUMATIC, N/O, NOM. 10 PSI, C/W DOUBLE QUICK CONNECT MALE TERMINALS. PLATED STEEL. GLASS REINFORCED POLYESTER.
thread_direction	RIGHT-HAND
washer_thickness	0.107 INCHES NOMINAL IN
surface_treatment	CADMIUM OVERALL EXCEPT INSERT
width_across_flats	0.550 INCHES MINIMUM AND 0.565 INCHES MAXIMUM IN
NSN	5310-00-297-3722

COMPONENT DIAGRAM



KEY FEATURES

- WASHER OUTSIDE DIAMETER: 0.771 INCHES MINIMUM AND 0.781 INCHES MAXIMUM IN
- WIDTH ACROSS FLATS: 0.550 INCHES MINIMUM AND 0.565 INCHES MAXIMUM IN

- **SURFACE TREATMENT DOCUMENT AND CLASSIFICATION: QQ-P-416,TY 1,CL 3 FED SPEC SINGLE TREATMENT RESPONSE OVERALL EXCEPT INSERT**
- **THREAD SERIES: UNIFIED NATIONAL JOINT FINE (UNJF)**
- **TEMP RATING: 250.0 FAHRENHEIT NOMINAL DEGF**
- **WASHER THICKNESS: 0.107 INCHES NOMINAL IN**
- **MATERIAL DOCUMENT AND CLASSIFICATION: AISI ASSN STD ALL MATERIAL RESPONSES NUT**

TECHNICAL CHARACTERISTICS

OVERALL HEIGHT	0.516 INCHES NOMINAL IN
WASHER OUTSIDE DIAMETER	0.771 INCHES MINIMUM AND 0.781 INCHES MAXIMUM IN
WIDTH ACROSS FLATS	0.550 INCHES MINIMUM AND 0.565 INCHES MAXIMUM IN
SURFACE TREATMENT DOCUMENT AND CLASSIFICATION	QQ-P-416,TY 1,CL 3 FED SPEC SINGLE TREATMENT RESPONSE OVERALL EXCEPT INSERT
THREAD SERIES	UNIFIED NATIONAL JOINT FINE (UNJF)
TEMP RATING	250.0 FAHRENHEIT NOMINAL DEGF
WASHER THICKNESS	0.107 INCHES NOMINAL IN
MATERIAL DOCUMENT AND CLASSIFICATION	AISI ASSN STD ALL MATERIAL RESPONSES NUT
THREAD DIRECTION	RIGHT-HAND
NOMINAL THREAD SIZE	0.438 INCHES IN

SUBSTITUTES & CROSS-REFERENCES
7

12NH-7 Same NSN cross-reference

Same NSN cross-reference
Also cataloged under this NSN

SS5088-06 Reference document

Same NSN cross-reference
Reference document — Advisory reference — outside the item-of-supply concept

EB720 Reference document

LIFECYCLE

NSN status Cancelled · U.S. Government catalog

- Acquisition advice: Insurance item — stocked against contingency demand
- No demilitarization required

Same NSN cross-reference
 Reference document — Secondary reference

EB-070
Same NSN cross-reference

Same NSN cross-reference
 Also cataloged under this NSN

69973-4
Same NSN cross-reference

Same NSN cross-reference
 Also cataloged under this NSN

DHN 35-7
Same NSN cross-reference

Same NSN cross-reference
 Also cataloged under this NSN

FREQUENTLY ASKED QUESTIONS

What is 123717?

123717 is a MIXER ATTACHMENT,FOOD,KITCHEN MA manufactured by Hama. It is classified as a MRO (MRO_GENERAL).

What parts can replace 123717?

There are 7 known substitutes for 123717: 12NH-7, SS5088-06, EB720 and 4 more. Substitute compatibility should be verified for your specific system.

What is the NSN for 123717?

123717 is cataloged in the U.S. Government catalog under NSN 5310-00-297-3722. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.


 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.