

Home > Maintenance, Repair & Operations Parts > 239103

239103 – SWITCH, THERMOSTATIC

✓ Government record, cited

– · MRO · MRO_GENERAL

PRODUCT OVERVIEW

239103: SWITCH, THERMOSTATIC.

The SWITCH, THERMOSTATIC is a the manufacturer industrial component. Key specifications include material: PLASTIC PHENOLIC OVERALL, hole_diameter: 0.219 INCHES NOMINAL LOCATION NOT OTHERWISE SPECIFIED IN, overall_width: 0.750 INCHES NOMINAL IN, overall_length: 1.312 INCHES NOMINAL IN, special_features: 5 UNITS, aperture_diameter: 0.469 INCHES MINIMUM AND 0.471 INCHES MAXIMUM IN. This part is cataloged in the U.S.

Government catalog under NSN 5330-00-228-6363, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

MRO → MRO_GENERAL →

239103

NSN: 5330-00-228-6363
NIINs: 002286363 , 011988232 , 013311537 , 015277407
FSC: 5330 — Packing and Gasket Materials
CAGE: 06853 — BENDIX COMMERCIAL VEHICLE SYSTEMS LLC DBA BENDIX COMMERCIAL VEHICLE SYSTEMS (USA)


SPECIFICATIONS

material	PLASTIC PHENOLIC OVERALL
hole_diameter	0.219 INCHES NOMINAL LOCATION NOT OTHERWISE SPECIFIED IN
overall_width	0.750 INCHES NOMINAL IN
overall_length	1.312 INCHES NOMINAL IN
special_features	5 UNITS

aperture_diameter	0.469 INCHES MINIMUM AND 0.471 INCHES MAXIMUM IN
end_item_identification	FAST MOVING GROUND TARGET
cross-sectional_thickness	0.015 INCHES NOMINAL IN
cross-sectional_shape_style	SOLID SINGLE OR COMPOSITION
purchase_description_identification	48619- 239103
material_document_and_classification	BW-350- M,FSCM 06853 MFR REF SINGLE MATERIAL RESPONSE OVERALL
NSN	5330-00- 228-6363

COMPONENT DIAGRAM

O-RING / SEAL — MATERIAL DETERMINES APPLICATION



CROSS-SECTION



CS: -

SPECIFICATION

Material: -
Durometer: -
Temp: -
PN: 239103
MFR: OEM

⚠ VERIFY BEFORE ORDERING

Wrong material = failure. Viton for oil/fuel, EPDM for water/steam, Buna-N for general purpose, Silicone for food-grade.
Chemical incompatibility causes swelling, brittleness, or rapid degradation

✓ BROKER TIP

Durometer (hardness) affects sealing pressure tolerance. Higher Shore A = harder = higher pressure.
Standard durometer is 70A - verify if application requires different hardness

PARTSTABLE TECHNICAL DRAWING - NOT TO SCALE

KEY FEATURES

- CROSS-SECTIONAL THICKNESS: 0.015 INCHES NOMINAL IN

- MATERIAL DOCUMENT AND CLASSIFICATION: BW-350-M,FSCM 06853 MFR REF SINGLE MATERIAL RESPONSE OVERALL
- CROSS-SECTIONAL SHAPE STYLE: SOLID SINGLE OR COMPOSITION
- APERTURE DIAMETER: 0.469 INCHES MINIMUM AND 0.471 INCHES MAXIMUM IN
- MATERIAL: PLASTIC PHENOLIC OVERALL
- HOLE DIAMETER: 0.219 INCHES NOMINAL LOCATION NOT OTHERWISE SPECIFIED IN

TECHNICAL CHARACTERISTICS

CROSS-SECTIONAL THICKNESS	0.015 INCHES NOMINAL IN
MATERIAL DOCUMENT AND CLASSIFICATION	BW-350-M,FSCM 06853 MFR REF SINGLE MATERIAL RESPONSE OVERALL
OVERALL LENGTH	1.312 INCHES NOMINAL IN
CROSS-SECTIONAL SHAPE STYLE	SOLID SINGLE OR COMPOSITION
OVERALL WIDTH	0.750 INCHES NOMINAL IN
APERTURE DIAMETER	0.469 INCHES MINIMUM AND 0.471 INCHES MAXIMUM IN
MATERIAL	PLASTIC PHENOLIC OVERALL
HOLE DIAMETER	0.219 INCHES NOMINAL LOCATION NOT OTHERWISE SPECIFIED IN

SUBSTITUTES & CROSS-REFERENCES

No substitute or cross-reference records for this part.

LIFECYCLE

NSN status

Active

· U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

- What is 239103?**
 239103 is a SWITCH,THERMOSTATIC. It is classified as a MRO (MRO_GENERAL).
- What is the NSN for 239103?**

239103 is cataloged in the U.S. Government catalog under NSN 5330-00-228-6363. This indicates validated use in U.S. government and defense supply chains.

✓ **PartsTable** — the parts reference. Every fact cited to its source.

 **PartsTable Design LLC · partstable.com**

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.