

Home > 300-126

300-126 – Technical Data Sheet

✓ Government record, cited

— · COMPONENT

WHAT YOU NEED TO KNOW

Verify manufacturer and server generation compatibility Check if Option PN or Spare PN — same part, different channel

⚠ Confirm exact part number — similar PNs may be different parts

PRODUCT OVERVIEW

ELECTRODE,ELECTROSURGICAL,LAPARO. Key specifications include supplementary_features: SPEAD RANGE IS FROM 10,000 TO 37,000 RPM'S. RPM, end_item_identification: TRACPHONE V7 MINI VSAT SYSTEM;01-0283-07;72197, part_name_assigned_by_controlling_agency: DREMEL HIGH SPEED ROTARY TOOL.

This part is cataloged in the U.S. Government catalog under NSN 4940-01-065-1705, indicating validated use in U.S. government and defense logistics supply chains.

Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels. Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

300-126

NSN: 4940-01-065-1705
NIINs: 010651705 , 011305818 , 013670145 , 015155403 , 016016371 , 016874868
FSC: 4940 — Miscellaneous Maintenance and Repair Shop Specialized Equipment

SPECIFICATIONS

supplementary_features	SPEAD RANGE IS FROM 10,000 TO 37,000 RPM'S. RPM
end_item_identification	TRACPHONE V7 MINI


CAGE: 62555 — VACU-BLAST CORP (USA)

VSAT
SYSTEM;01-
0283-
07;72197

DREMEL
HIGH
part_name_assigned_by_controlling_agencySPEED
ROTARY
TOOL

NSN
4940-01-
065-1705

COMPONENT DIAGRAM



KEY FEATURES

- **OPERATING PRESSURE: 125.0 POUNDS PER SQUARE INCH (PSI) MAXIMUM ABRASIVE TANK LBS**
- **ABRASIVE TYPE ACCOMMODATED: DRY**
- **ACCESSORY COMPONENTS AND QUANTITY: STEEL ENCLOSED DUST COLLECTOR,30 SQ. FT. 1; 100 CFM AIR OPERATED VACUUM PUMP 1**
- **BLAST HOSE OUTLET QUANTITY: 1**
- **REMOTE CONTROL: NOT INCLUDED**
- **INSTALLATION DESIGN: PORTABLE**

TECHNICAL CHARACTERISTICS

OPERATING PRESSURE	125.0 POUNDS PER SQUARE INCH (PSI) MAXIMUM ABRASIVE TANK LBS
ABRASIVE TYPE ACCOMMODATED	DRY
ACCESSORY COMPONENTS AND QUANTITY	STEEL ENCLOSED DUST COLLECTOR,30 SQ. FT. 1; 100 CFM AIR OPERATED VACUUM PUMP 1
BLAST HOSE OUTLET QUANTITY	1
SPECIAL FEATURES	DIMENSIONS 24 W X 31 D X 34 H IN.; WGHT 170 LBS; MEDIA 80 MESH OR FINER; ENVELOPE TYPE DUST BAGS W
REMOTE CONTROL	NOT INCLUDED
INSTALLATION DESIGN	PORTABLE

SUBSTITUTES & CROSS-REFERENCES

3

300126-101

Possible match (shared part number)

Possible match (shared part number)

03-1988

Possible match (shared part number)

Possible match (shared part number)

6515NCM031700

Possible match (shared part number)

Possible match (shared part number)

LIFECYCLE

NSN status

Active

· U.S. Government catalog

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 300-126?

300-126 is a ELECTRODE,ELECTROSURGICAL,LAPARO.

What parts can replace 300-126?

There are 3 known substitutes for 300-126: 300126-101, 03-1988, 6515NCM031700. Substitute compatibility should be verified for your specific system.

What is the NSN for 300-126?

300-126 is cataloged in the U.S. Government catalog under NSN 4940-01-065-1705. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.

 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.