

Home > 360K

360K — KETTLE, HEATING, BITUMEN

✓ Government record, cited

— · COMPONENT

PRODUCT OVERVIEW

360K: KETTLE, HEATING, BITUMEN.

The KETTLE, HEATING, BITUMEN is a the manufacturer industrial component. Key specifications include capacity: 360.0 GALLONS NOMINAL, tire_type: PNEUMATIC, mounting_type: WHEEL, heating_method: INDIRECT, insulated_tank: INCLUDED, loading_height: 40.000 INCHES MINIMUM AND 46.000 INCHES MAXIMUM IN. This part is cataloged in the U.S.

Government catalog under NSN 3895-01-068-3062, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

360K


NSN: 3895-01-068-3062
FSC: 3895 — Miscellaneous Construction Equipment
CAGE: 06447 — STEPP MANUFACTURING CO INC (USA)

SPECIFICATIONS

capacity	360.0 GALLONS NOMINAL
tire_type	PNEUMATIC
mounting_type	WHEEL
heating_method	INDIRECT
insulated_tank	INCLUDED
loading_height	40.000 INCHES MINIMUM AND 46.000 INCHES MAXIMUM IN
wheel_quantity	2
burner_quantity	1
bitumen_agitator	INCLUDED

loading_lid_type	HINGED
operation_method	POWER
horsepower_rating	10.0
NSN	3895-01-068-3062

COMPONENT DIAGRAM



KEY FEATURES

- BITUMEN DISCHARGING METHOD: POSITIVE DISPLACEMENT PUMP
- TIRE TYPE: PNEUMATIC
- BURNER QUANTITY: 1
- PAVING HAND TOOL HEATING FEATURE: NOT INCLUDED
- BITUMEN DISCHARGE POWER SOURCE: GASOLINE ENGINE
- LOADING LID TYPE: HINGED
- INSULATED TANK: INCLUDED
- HORSEPOWER RATING: 10.0

TECHNICAL CHARACTERISTICS

BITUMEN DISCHARGING METHOD	POSITIVE DISPLACEMENT PUMP
TIRE TYPE	PNEUMATIC
BURNER QUANTITY	1

PAVING HAND TOOL HEATING FEATURE	NOT INCLUDED
BITUMEN DISCHARGE POWER SOURCE	GASOLINE ENGINE
LOADING LID TYPE	HINGED
INSULATED TANK	INCLUDED
HORSEPOWER RATING	10.0
LOADING HEIGHT	40.000 INCHES MINIMUM AND 46.000 INCHES MAXIMUM IN
WHEEL QUANTITY	2

OTHER ITEMS IN FSC 3895 — MISCELLANEOUS CONSTRUCTION EQUIPMENT

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

3895-00-001-3503	3895-00-001-3504	3895-00-001-3505	3895-00-001-3506
3895-00-001-3507	3895-00-001-3509	3895-00-003-0100	3895-00-003-0108

SUBSTITUTES & CROSS-REFERENCES
1

MIL-K-28532
Reference document

Same NSN cross-reference
Reference document — Identification reference

LIFECYCLE

NSN status
Active
· U.S. Government catalog

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 360K?

360K is a KETTLE,HEATING,BITUMEN.

What parts can replace 360K?

There is 1 known substitute for 360K: MIL-K-28532. Substitute compatibility should be verified for your specific system.

What is the NSN for 360K?

360K is cataloged in the U.S. Government catalog under NSN 3895-01-068-3062. This indicates validated use in U.S. government and defense supply chains.


 PartsTable — the parts reference. Every fact cited to its source.


 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.