

Home > 368-048

368-048 – JACK,TIP

— · COMPONENT

✓ Government record, cited

PRODUCT OVERVIEW

368-048: JACK,TIP.

The JACK,TIP is a the manufacturer industrial component. Key specifications include material: COPPER ALLOY 511 TERMINAL, body_style: THREADED BUSHING MOUNTED, thread_class: 2A A, terminal_type: CRIMP, overall_length: 1.562 INCHES NOMINAL IN, overall_diameter: 0.625 INCHES NOMINAL IN. This part is cataloged in the U.S.

Government catalog under NSN 5935-01-168-3003, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

368-048


NSN: 5935-01-168-3003
FSC: 5935 — Connectors, Electrical
CAGE: 4Z321 — SCHENCK USA CORP DIV TEST DEVICES (USA)

SPECIFICATIONS

material	COPPER ALLOY 511 TERMINAL
body_style	THREADED BUSHING MOUNTED
thread_class	2A A
terminal_type	CRIMP
overall_length	1.562 INCHES NOMINAL IN
overall_diameter	0.625 INCHES NOMINAL IN
thread_direction	RIGHT-HAND
surface_treatment	NICKEL CAP
nominal_thread_size	0.375 INCHES IN

current_rating_in_amps	25.0
mounting_bushing_length	1.188 INCHES NOMINAL IN
accommodated_finger_type	TEST PROD SINGLE FINGER
NSN	5935-01-168-3003

COMPONENT DIAGRAM



KEY FEATURES

- MOUNTING FACILITY TYPE AND QUANTITY: 1 BUSHING
- IDENTIFICATION CODE COLOR: BLACK
- CAPACITANCE IN PICOFARADS: 7.0
- BODY STYLE: THREADED BUSHING MOUNTED
- TERMINAL TYPE: CRIMP
- FINGER ACCOMMODATION DIAMETER: 0.275 INCHES NOMINAL SINGLE FINGER IN
- OVERALL DIAMETER: 0.625 INCHES NOMINAL IN
- ACCOMMODATED FINGER TYPE: TEST PROD SINGLE FINGER

TECHNICAL CHARACTERISTICS

MOUNTING FACILITY TYPE AND QUANTITY	1 BUSHING
IDENTIFICATION CODE COLOR	BLACK
CAPACITANCE IN PICOFARADS	7.0
BODY STYLE	THREADED BUSHING MOUNTED
TERMINAL TYPE	CRIMP
FINGER ACCOMMODATION DIAMETER	0.275 INCHES NOMINAL SINGLE FINGER IN
OVERALL DIAMETER	0.625 INCHES NOMINAL IN
ACCOMMODATED FINGER TYPE	TEST PROD SINGLE FINGER
OVERALL LENGTH	1.562 INCHES NOMINAL IN
BUSHING ACCOMMODATION HOLE SHAPE	ROUND

OTHER ITEMS IN FSC 5935 — CONNECTORS, ELECTRICAL

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

5935-00-000-8180	5935-00-001-1344	5935-00-001-1347	5935-00-001-1350
5935-00-001-1351	5935-00-001-1353	5935-00-001-1627	5935-00-001-1628

SUBSTITUTES & CROSS-REFERENCES 1

286 (BLACK)
Reference document

Same NSN cross-reference

Reference document — Secondary reference

LIFECYCLE

NSN status

Active

 · U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

- What is 368-048?**
- 368-048 is a JACK,TIP.
- What parts can replace 368-048?**
- There is 1 known substitute for 368-048: 286(BLACK). Substitute compatibility should be verified for your specific system.
- What is the NSN for 368-048?**

368-048 is cataloged in the U.S. Government catalog under NSN 5935-01-168-3003. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.

 **PartsTable Design LLC · partstable.com**

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.