

[Home](#)
 >
 [Maintenance, Repair & Operations Parts](#)
 >
 432168

432168 – Ricoh PJ X2440 Standard throw projector 3000 ANSI lumens DLP XGA (1024x768) 3D White

✓ Government record, cited
 Ricoh · MRO · MRO_GENERAL

PRODUCT OVERVIEW

432168: Ricoh PJ X2440 Standard throw projector 3000 ANSI lumens DLP XGA (1024x768) 3D White.

The Ricoh PJ X2440 is quick to set up and simple to use. Compact and affordable, this XGA projector is ideal for meeting rooms and classrooms. It offers flexible connectivity, with two HDMI ports, including one that supports MHL so that you can mirror your mobile devices directly to the projector.

And at a brightness of 3,000 lumens and 10000:1 contrast, it delivers excellent colour, image and text definition, remaining true to the image you see on your screen. The Ricoh PJ X2440 is a versatile, intuitive projector with an attractive form factor that will complement any environment. Lightweight and compact at only 2.6kg, it offers a lamp-life of up to 5,000 hours, providing a solid, reliable solution for your meeting room or classroom.

This part is cataloged in the U.S. Government catalog under NSN 7045-00-112-5290, indicating validated use in U.S. government and defense logistics supply chains.

WHERE IT FITS


MRO →
 MRO_GENERAL →
 432168
 NSN: 7045-00-112-5290
 NIINs: 001125290 , 013042554
 FSC: 7045 — Information Technology Supplies
 CAGE: 0B6S1 —

SPECIFICATIONS

	PLASTIC,BLUE,OVERALL DIMENSIONS 10.500 IN. DIA,0.625 IN.
general_characteristics_item_description	THK,3.625 IN. DIA HOLE THRU CENTER,0.875 IN. DIA SLOT ON ONE SIDE FOR STAKTING TAPE IN
NSN	7045-00-112-5290

INTERNATIONAL BUSINESS
 MACHINES CORP PARTS
 ORDER CENTER DEPT E - 54
 (USA)

COMPONENT DIAGRAM



KEY FEATURES

- GENERAL CHARACTERISTICS ITEM**
DESCRIPTION: PLASTIC,BLUE,OVERALL DIMENSIONS 10.500 IN. DIA,0.625 IN. THK,3.625 IN. DIA HOLE THRU CENTER,0.875 IN. DIA SLOT ON ONE SIDE FOR STAKTING TAPE IN

TECHNICAL CHARACTERISTICS

GENERAL CHARACTERISTICS ITEM
 DESCRIPTION

PLASTIC,BLUE,OVERALL DIMENSIONS 10.500 IN. DIA,0.625 IN. THK,3.625 IN. DIA HOLE THRU CENTER,0.875 IN. DIA SLOT ON ONE SIDE FOR STAKTING TAPE IN

SUBSTITUTES & CROSS-REFERENCES
 1

113-00008-002
 Reference document

Same NSN cross-reference
 Reference document — Advisory reference — outside the item-of-supply concept

LIFECYCLE

NSN status
 Active
 · U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 432168?

432168 is a Ricoh PJ X2440 Standard throw projector 3000 ANSI lumens DLP XGA (1024x768) 3D White manufactured by Ricoh. It is classified as a MRO (MRO_GENERAL).

What parts can replace 432168?

There is 1 known substitute for 432168: 113-00008-002. Substitute compatibility should be verified for your specific system.

What is the NSN for 432168?

432168 is cataloged in the U.S. Government catalog under NSN 7045-00-112-5290. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.

 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.