

Nipple, Pipe

4730-01-059-1212


NSN 4730-01-059-1212 · NIIN 010591212

FSC 4730 — Hose, Pipe, Tube, Lubrication, and Railing Fittings · FSG 47 — Pipe, Tubing, Hose, and Fittings


GOVERNMENT RECORD, CITED

ALSO SEARCHED AS
 4730-01-059-1212 ·
 4730010591212 ·
 NIIN 010591212 ·
 01-059-1212 ·
 FSC [4730](#)
 Hose, Pipe, Tube, Lubrication, and Railing Fittings

NEARBY STOCK NUMBERS
 ←
 4730-01-059-1211
 Adapter, Straight, Pipe to Hose ·
 4730-01-059-1213
 →



4730-01-059-1212 — HOSE, PIPE, TUBE, LUBRICATION, AND RAILING FITTINGS

FEATURES

- Nipple,pipe — FSC 4730
- Surface Treatment Document and Classification: QQ-P-416,TYPE 2,CLASS 3 FED SPEC SINGLE TREATMENT RESPONSE OVERALL
- Connection Style: PLAIN (PIPE) FIRST END
- Connection Style: PLAIN (PIPE) SECOND END
- Nominal Overall Length: 2.500 INCHES IN
- Connection Type: THREADED EXTERNAL PIPE SECOND END
- Connection Type: THREADED EXTERNAL PIPE FIRST END
- Style Designator: CENTER WRENCHING FACILITY

IDENTIFICATION

- NSN: 4730-01-059-1212
- NIIN: 010591212
- FSC: 4730 — Hose, Pipe, Tube, Lubrication, and Railing Fittings
- FSG: 47 — Pipe, Tubing, Hose, and Fittings

GENERAL DESCRIPTION

The Nipple,pipe, cataloged under National Stock Number 4730-01-059-1212, is classified within Federal Supply Class 4730 (Hose, Pipe, Tube, Lubrication, and Railing Fittings) of the Pipe, Tubing, Hose, and Fittings group. Government technical data includes 18 specifications, cited from the U.S. Government catalog. 1 additional reference document (drawings, advisory and superseded references) is recorded in the U.S. Government catalog. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	4730-01-059-1212
Item Name	Nipple,pipe
FSC / FSG	4730 / 47 — Hose, Pipe, Tube, Lubrication, and Railing Fittings
Status	ACTIVE
Surface Treatment Document and Classification	QQ-P-416,TYPE 2,CLASS 3 FED SPEC SINGLE TREATMENT RESPONSE OVERALL

PARAMETER	VALUE
Connection Style	PLAIN (PIPE) FIRST END
Connection Style	PLAIN (PIPE) SECOND END
Nominal Overall Length	2.500 INCHES IN
Connection Type	THREADED EXTERNAL PIPE SECOND END
Connection Type	THREADED EXTERNAL PIPE FIRST END
Style Designator	CENTER WRENCHING FACILITY
Material Document and Classification	QQ-T-830 FED SPEC SINGLE MATERIAL RESPONSE OVERALL
Nominal Thread Size	0.500 INCHES SECOND END IN
Nominal Thread Size	0.500 INCHES FIRST END IN
Surface Treatment	CADMIUM OVERALL
Thread Class	2A SECOND END A
Thread Class	2A FIRST END A
Thread Quantity Per Inch	14 FIRST END
Thread Quantity Per Inch	14 SECOND END
Material	STEEL OVERALL
Thread Series Designator	UNS FIRST END
Thread Series Designator	UNS SECOND END

LIFECYCLE & COMPLIANCE

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A – NO DEMILITARIZATION REQUIRED
Hazard	NO HAZARD CODE IN THE DLA RECORD (HMIC N)
Criticality Code	X

CROSS-REFERENCE INDEX

No manufacturer part numbers on file in the U.S. Government catalog.

REFERENCE DOCUMENTS

REFERENCE	MEANING
4168871-3	3/2 Design control – primary reference U.S. Government activity

No interchangeability data on file.

OTHER ITEMS IN FSC 4730 – HOSE, PIPE, TUBE, LUBRICATION, AND RAILING FITTINGS

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

4730-00-000-1895 4730-00-000-1895 · Item name not on file	4730-00-000-4289 4730-00-000-4289 · Item name not on file	4730-00-000-4445 4730-00-000-4445 · Item name not on file	4730-00-000-8373 4730-00-000-8373 · Item name not on file
4730-00-000-8897 4730-00-000-8897 · Item name not on file	4730-00-001-0007 4730-00-001-0007 · Item name not on file	4730-00-001-0008 COUPLING,TUBE	4730-00-001-0008 COUPLING,TUBE

FREQUENTLY ASKED QUESTIONS

What is NSN 4730-01-059-1212?

NSN 4730-01-059-1212 is a Nipple,pipe, classified under FSC 4730, Hose, Pipe, Tube, Lubrication, and Railing Fittings. Status: active.

What are the specifications of 4730-01-059-1212?

Key specifications for 4730-01-059-1212: Surface Treatment Document and Classification: QQ-P-416,TYPE 2,CLASS 3 FED SPEC SINGLE TREATMENT RESPONSE OVERALL; Connection Style: PLAIN (PIPE) FIRST END; Connection Style: PLAIN (PIPE) SECOND END; Nominal Overall Length: 2.500 INCHES IN. 18 specifications are documented in the U.S. Government catalog.

Is NSN 4730-01-059-1212 hazardous material?

No hazard code in the DLA record (HMIC N). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.
U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.
partstable.com/parts/4730-01-059-1212

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.
 PartsTable Design LLC · partstable.com