

Home > 5210355

5210355 – REEL, CABLE

✓ Government record, cited

— · COMPONENT

PRODUCT OVERVIEW

5210355: REEL, CABLE.

The REEL, CABLE is a the manufacturer cable assembly designed for reliable internal or external connectivity in enterprise server and storage environments. Key specifications include material: IRON AND STEEL, overall_width: 22.122 INCHES MINIMUM AND 22.125 INCHES MAXIMUM IN, flange_diameter: 39.000 INCHES NOMINAL IN, inside_traverse: 15.250 INCHES MINIMUM AND 15.270 INCHES MAXIMUM IN, shaft_hole_diameter: 21.750 INCHES NOMINAL IN, core_outside_diameter: 25.500 INCHES NOMINAL IN. This part is cataloged in the U.S.

Government catalog under NSN 3895-01-251-8518, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

- 5210355
- NSN: 3895-01-251-8518

FSC: 3895 — Miscellaneous Construction Equipment


CAGE: 53711 — NAVAL SEA SYSTEMS COMMAND (USA)

SPECIFICATIONS

material	IRON AND STEEL
overall_width	22.122 INCHES MINIMUM AND 22.125 INCHES MAXIMUM IN
flange_diameter	39.000 INCHES NOMINAL IN
inside_traverse	15.250 INCHES MINIMUM AND 15.270 INCHES MAXIMUM IN
shaft_hole_diameter	21.750 INCHES NOMINAL IN
core_outside_diameter	25.500 INCHES NOMINAL IN

NSN3895-01-251-8518

COMPONENT DIAGRAM



KEY FEATURES

- **FLANGE DIAMETER: 39.000 INCHES NOMINAL IN**
- **SHAFT HOLE DIAMETER: 21.750 INCHES NOMINAL IN**
- **INSIDE TRAVERSE: 15.250 INCHES MINIMUM AND 15.270 INCHES MAXIMUM IN**
- **MATERIAL: IRON AND STEEL**
- **CORE OUTSIDE DIAMETER: 25.500 INCHES NOMINAL IN**

TYPICAL APPLICATIONS

- Server Internal Cabling
- Data Center Cable Infrastructure
- SAS/SATA Drive Connectivity

TECHNICAL CHARACTERISTICS

FLANGE DIAMETER	39.000 INCHES NOMINAL IN
SHAFT HOLE DIAMETER	21.750 INCHES NOMINAL IN
OVERALL WIDTH	22.122 INCHES MINIMUM AND 22.125 INCHES MAXIMUM IN
INSIDE TRAVERSE	15.250 INCHES MINIMUM AND 15.270 INCHES MAXIMUM IN
MATERIAL	IRON AND STEEL
CORE OUTSIDE DIAMETER	25.500 INCHES NOMINAL IN

OTHER ITEMS IN FSC 3895 – MISCELLANEOUS CONSTRUCTION EQUIPMENT

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

3895-00-001-3503	3895-00-001-3504	3895-00-001-3505	3895-00-001-3506
3895-00-001-3507	3895-00-001-3509	3895-00-003-0100	3895-00-003-0108

SUBSTITUTES & CROSS-REFERENCES

No substitute or cross-reference records for this part.

LIFECYCLE

NSN status

Active

· U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 5210355?

5210355 is a REEL,CABLE.

What is the NSN for 5210355?

5210355 is cataloged in the U.S. Government catalog under NSN 3895-01-251-8518. This indicates validated use in U.S. government and defense supply chains.


PartsTable — the parts reference. Every fact cited to its source.


PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.