

Screw, Close Tolerance

5305-00-001-9754

NSN 5305-00-001-9754 · NIIN 000019754 · Part number BACB30LK3U4


Howmet Global Fastening Systems Inc · FSC 5305 — Screws · FSG 53 — Hardware and Abrasives · CAGE 06950

GOVERNMENT RECORD, CITED

NSN 5305-00-001-9754 — this item is cataloged by the U.S. Government under National Stock Number 5305-00-001-9754. Manufacturer of record part number: BACB30LK3U4.

ALSO SEARCHED AS 5305-00-001-9754 · 5305000019754 · NIIN 000019754 · 00-001-9754 · FSC 5305 Screws · CAGE 06950 · BACB30LK3U4

NEARBY STOCK NUMBERS ← 5305-00-001-9753 Screw, Close Tolerance · 5305-00-001-9768 Screw, Cap, Socket Head →



5305-00-001-9754 — SCREWS

FEATURES

- Screw,close Tolerance — FSC 5305
- Surface Finish: 32.0 MICROINCHES THREADS
- Surface Finish: 32.0 MICROINCHES GRIP
- Surface Finish: 32.0 MICROINCHES BEARING SURFACE OF HEAD
- Head Height: 0.122 INCHES MINIMUM AND 0.133 INCHES MAXIMUM IN
- Fastener Length: 0.580 INCHES MINIMUM AND 0.610 INCHES MAXIMUM IN
- Surface Treatment Document and Classification: QQ-P-35 FED SPEC SINGLE TREATMENT RESPONSE OVERALL
- Thread Length: 0.320 INCHES MINIMUM AND 0.370 INCHES MAXIMUM IN

IDENTIFICATION

- NSN: 5305-00-001-9754
- NIIN: 000019754
- FSC: 5305 — Screws
- FSG: 53 — Hardware and Abrasives
- Primary part number: BACB30LK3U4
- Manufacturer: Howmet Global Fastening Systems Inc

GENERAL DESCRIPTION

The Screw,close Tolerance, cataloged under National Stock Number 5305-00-001-9754, is classified within Federal Supply Class 5305 (Screws) of the Hardware and Abrasives group. The manufacturer of record is Howmet Global Fastening Systems Inc. Government technical data includes 21 specifications, cited from the U.S. Government catalog. The record lists 1 manufacturer part number for this item, enabling identification through both NSN and commercial part number lookups. 2 additional reference documents (drawings, advisory and superseded references) are recorded in the U.S. Government catalog. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	5305-00-001-9754
Primary Part Number	BACB30LK3U4
Item Name	Screw,close Tolerance
FSC / FSG	5305 / 53 — Screws
Manufacturer	Howmet Global Fastening Systems Inc
Status	ACTIVE
Surface Finish	32.0 MICROINCHES THREADS
Surface Finish	32.0 MICROINCHES GRIP
Surface Finish	32.0 MICROINCHES BEARING SURFACE OF HEAD
Head Height	0.122 INCHES MINIMUM AND 0.133 INCHES MAXIMUM IN
Fastener Length	0.580 INCHES MINIMUM AND 0.610 INCHES MAXIMUM IN
Surface Treatment Document and Classification	QQ-P-35 FED SPEC SINGLE TREATMENT RESPONSE OVERALL
Thread Length	0.320 INCHES MINIMUM AND 0.370 INCHES MAXIMUM IN
Material Document and Classification	AMS 5737 ASSN STD SINGLE MATERIAL RESPONSE OVERALL
Nominal Thread Diameter	0.190 INCHES IN
Head Style	PAN
Thread Direction	RIGHT-HAND
Specification/standard Data	81205-BACB30LK MANUFACTURERS STANDARD
Grip Length	0.240 INCHES MINIMUM AND 0.260 INCHES MAXIMUM IN
Grip Diameter	0.1890 INCHES MINIMUM AND 0.1895 INCHES MAXIMUM IN
Surface Treatment	PASSIVATE OVERALL
Internal Drive Style	CROSS RECESS TYPE 1
Thread Class	3A A
Thread Quantity Per Inch	32
Material	IRON ALLOY 660 OVERALL
Thread Series Designator	UNIFIED NATIONAL JOINT FINE (UNJF)
Head Diameter	0.357 INCHES MINIMUM AND 0.373 INCHES MAXIMUM IN

Lifecycle & Compliance

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A — NO DEMILITARIZATION REQUIRED
Hazard	NO HAZARD CODE IN THE DLA RECORD (HMIC N)
Criticality Code	X

Cross-Reference Index

PART NUMBER	MANUFACTURER
BACB30LK3U4	Howmet Global Fastening Systems Inc (USA)

REFERENCE	MEANING
BACB30LK3U4	5/9 Secondary reference U.S. Government activity
BACB30LK3U4	3/2 Design control — primary reference U.S. Government activity

No interchangeability data on file.

Other Items in FSC 5305 — Screws

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

5305-00-000-0094 SCREW,CLOSE TOLERANCE	5305-00-000-1397 5305-00-000-1397 · Item name not on file	5305-00-000-2625 5305-00-000-2625 · Item name not on file	5305-00-000-3669 5305-00-000-3669 · Item name not on file
---	--	--	--

5305-00-000-3830

5305-00-000-3830 · Item name not on file

5305-00-000-3831

5305-00-000-3831 · Item name not on file

5305-00-000-5456

5305-00-000-5456 · Item name not on file

5305-00-000-5699

5305-00-000-5699 · Item name not on file

FREQUENTLY ASKED QUESTIONS

What is NSN 5305-00-001-9754?

NSN 5305-00-001-9754 is a Screw,close Tolerance, manufactured by Howmet Global Fastening Systems Inc, classified under FSC 5305, Screws. Status: active.

What part numbers are listed for NSN 5305-00-001-9754?

NSN 5305-00-001-9754 has 1 manufacturer part number on file: BACB30LK3U4 (Howmet Global Fastening Systems Inc).

What are the specifications of BACB30LK3U4?

Key specifications for BACB30LK3U4: Surface Finish: 32.0 MICROINCHES THREADS; Surface Finish: 32.0 MICROINCHES GRIP; Surface Finish: 32.0 MICROINCHES BEARING SURFACE OF HEAD; Head Height: 0.122 INCHES MINIMUM AND 0.133 INCHES MAXIMUM IN. 21 specifications are documented in the U.S. Government catalog.

Is NSN 5305-00-001-9754 hazardous material?

No hazard code in the DLA record (HMIC N). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.

partstable.com/parts/5305-00-001-9754

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.


 PartsTable Design LLC · partstable.com