

Nut, Plain, Blind Rivet

5310-01-059-1962


NSN 5310-01-059-1962 · NIIN 010591962

FSC 5310 — Nuts and Washers · FSG 53 — Hardware and Abrasives

GOVERNMENT RECORD, CITED

ALSO SEARCHED AS 5310-01-059-1962 · 5310010591962 · NIIN 010591962 · 01-059-1962 · FSC 5310 Nuts and Washers

NEARBY STOCK NUMBERS ← 5310-01-059-1961 Nut, Plain, Plate · 5310-01-059-1963 Nut, Plain, Cone Seat, Hexagon →



5310-01-059-1962 — NUTS AND WASHERS

FEATURES

- Nut,plain,blind Rivet — FSC 5310
- Nut Length: 0.560 INCHES MINIMUM AND 0.590 INCHES MAXIMUM IN
- Surface Treatment Document and Classification: MIL-A-8625 TYPE 2 MIL SPEC SINGLE TREATMENT RESPONSE OVERALL
- Thread Series: UNIFIED NATIONAL COARSE (UNC)
- Head Countersink Angle: 99.00 DEGREES MINIMUM AND 101.00 DEGREES MAXIMUM
- Material Document and Classification: MIL-R-1150 EXCEPT TEMPER T4 MIL SPEC SINGLE MATERIAL RESPONSE OVERALL
- Shank End Type: CLOSED
- Head Style: FLAT COUNTERSUNK

IDENTIFICATION

- NSN: 5310-01-059-1962
- NIIN: 010591962
- FSC: 5310 — Nuts and Washers
- FSG: 53 — Hardware and Abrasives

GENERAL DESCRIPTION

The Nut,plain,blind Rivet, cataloged under National Stock Number 5310-01-059-1962, is classified within Federal Supply Class 5310 (Nuts and Washers) of the Hardware and Abrasives group. Government technical data includes 17 specifications, cited from the U.S. Government catalog. 1 additional reference document (drawings, advisory and superseded references) is recorded in the U.S. Government catalog. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	5310-01-059-1962
Item Name	Nut,plain,blind Rivet
FSC / FSG	5310 / 53 — Nuts and Washers
Status	ACTIVE
Nut Length	0.560 INCHES MINIMUM AND 0.590 INCHES MAXIMUM IN

PARAMETER	VALUE
Surface Treatment Document and Classification	MIL-A-8625 TYPE 2 MIL SPEC SINGLE TREATMENT RESPONSE OVERALL
Thread Series	UNIFIED NATIONAL COARSE (UNC)
Head Countersink Angle	99.00 DEGREES MINIMUM AND 101.00 DEGREES MAXIMUM
Material Document and Classification	MIL-R-1150 EXCEPT TEMPER T4 MIL SPEC SINGLE MATERIAL RESPONSE OVERALL
Shank End Type	CLOSED
Head Style	FLAT COUNTERSUNK
Thread Direction	RIGHT-HAND
Nominal Thread Size	0.112 INCHES IN
Nut Diameter	0.151 INCHES MINIMUM AND 0.155 INCHES MAXIMUM IN
Specification/standard Data	80205-NAS1330 PROFESSIONAL/INDUSTRIAL ASSOCIATION STANDARD
Surface Treatment	ANODIZE OVERALL
Nut Style	BLIND RIVET W/SMOOTH ROUND SHANK
Thread Class	3B
Thread Quantity Per Inch	40
Material	ALUMINUM ALLOY 6053 OVERALL
Head Diameter	0.263 INCHES NOMINAL IN

LIFECYCLE & COMPLIANCE

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A – NO DEMILITARIZATION REQUIRED
Hazard	NO HAZARD CODE IN THE DLA RECORD (HMIC N)
Criticality Code	X

CROSS-REFERENCE INDEX

No manufacturer part numbers on file in the U.S. Government catalog.

REFERENCE DOCUMENTS

REFERENCE	MEANING
NAS1330A04B131	3/2 Design control – primary reference U.S. Government activity

No interchangeability data on file.

OTHER ITEMS IN FSC 5310 – NUTS AND WASHERS

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

5310-00-000-0040 5310-00-000-0040 · Item name not on file	5310-00-000-0077 NUT,PLAIN,ROUND	5310-00-000-0079 WASHER,FLAT	5310-00-000-0079 WASHER,FLAT
5310-00-000-1146 5310-00-000-1146 · Item name not on file	5310-00-000-3815 5310-00-000-3815 · Item name not on file	5310-00-000-4532 5310-00-000-4532 · Item name not on file	5310-00-000-4540 5310-00-000-4540 · Item name not on file

FREQUENTLY ASKED QUESTIONS

What is NSN 5310-01-059-1962?

NSN 5310-01-059-1962 is a Nut,plain,blind Rivet, classified under FSC 5310, Nuts and Washers. Status: active.

What are the specifications of 5310-01-059-1962?

Key specifications for 5310-01-059-1962: Nut Length: 0.560 INCHES MINIMUM AND 0.590 INCHES MAXIMUM IN; Surface Treatment Document and Classification: MIL-A-8625 TYPE 2 MIL SPEC SINGLE TREATMENT RESPONSE OVERALL; Thread Series: UNIFIED NATIONAL COARSE (UNC); Head Countersink Angle: 99.00 DEGREES MINIMUM AND 101.00 DEGREES MAXIMUM. 17 specifications are documented in the U.S. Government catalog.

Is NSN 5310-01-059-1962 hazardous material?

No hazard code in the DLA record (HMIC N). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.
U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.
partstable.com/parts/5310-01-059-1962

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.
 PartsTable Design LLC · partstable.com