



[Home](#) > [MRO](#) > [Hardware and Abrasives](#) > 5330-01-059-0287

# Gasket

5330-01-059-0287

NSN 5330-01-059-0287 · NIIN 010590287 · Part number PWA52426-22B


Rtx Corporation DbA Pratt & Whitney Div Pratt &whitney · FSC 5330 — Packing and Gasket Materials · FSG 53 — Hardware and Abrasives · CAGE 77445

 **GOVERNMENT RECORD, CITED**

**NSN 5330-01-059-0287** — this item is cataloged by the U.S. Government under National Stock Number 5330-01-059-0287. Manufacturer of record part number: **PWA52426-22B**.

**ALSO SEARCHED AS** 5330-01-059-0287 · 5330010590287 · NIIN 010590287 · 01-059-0287 · FSC 5330 Packing and Gasket Materials · CAGE 77445 · PWA52426-22B

**NEARBY STOCK NUMBERS** ← 5330-01-059-0286 · 5330-01-059-0288 →



5330-01-059-0287 — PACKING AND GASKET MATERIALS

## FEATURES

- Gasket — FSC 5330
- Surface Treatment Document and Classification: AMS 2471 ASSN STD SINGLE TREATMENT RESPONSE OVERALL
- Cross-Sectional Thickness: 0.125 INCHES NOMINAL IN
- Hardness Rating: 35.0 SHORE DUROMETER A MINIMUM AND 40.0 SHORE DUROMETER A MAXIMUM OVERALL
- Cross-Sectional Shape Style: METAL AND SYNTHETIC RUBBER
- Bolt Hole Quantity: 2
- Center to Center Distance Between Bolt Holes Along Length: 1.245 INCHES MINIMUM AND 1.255 INCHES MAXIMUM LOCATION NOT OTHERWISE SPECIFIED IN
- Surface Treatment: ANODIZE OVERALL

## IDENTIFICATION

- NSN: 5330-01-059-0287
- NIIN: 010590287
- FSC: 5330 — Packing and Gasket Materials
- FSG: 53 — Hardware and Abrasives
- Primary part number: PWA52426-22B
- Manufacturer: Rtx Corporation DbA Pratt & Whitney Div Pratt &whitney

## GENERAL DESCRIPTION

The Gasket, cataloged under National Stock Number 5330-01-059-0287, is classified within Federal Supply Class 5330

(Packing and Gasket Materials) of the Hardware and Abrasives group. The manufacturer of record is Rtx Corporation Dba Pratt & Whitney Div Pratt &whitney. Government technical data includes 9 specifications, cited from the U.S. Government catalog. The record lists 1 manufacturer part number for this item, enabling identification through both NSN and commercial part number lookups. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

| PARAMETER                                                 | VALUE                                                                             |
|-----------------------------------------------------------|-----------------------------------------------------------------------------------|
| NSN                                                       | 5330-01-059-0287                                                                  |
| Primary Part Number                                       | PWA52426-22B                                                                      |
| Item Name                                                 | Gasket                                                                            |
| FSC / FSG                                                 | 5330 / 53 — Packing and Gasket Materials                                          |
| Manufacturer                                              | Rtx Corporation Db <span></span> a Pratt & Whitney Div Pratt &whitney             |
| Status                                                    | ACTIVE                                                                            |
| Surface Treatment Document and Classification             | AMS 2471 ASSN STD SINGLE TREATMENT RESPONSE OVERALL                               |
| Cross-Sectional Thickness                                 | 0.125 INCHES NOMINAL IN                                                           |
| Hardness Rating                                           | 35.0 SHORE DUROMETER A MINIMUM AND 40.0 SHORE DUROMETER A MAXIMUM OVERALL         |
| Cross-Sectional Shape Style                               | METAL AND SYNTHETIC RUBBER                                                        |
| Bolt Hole Quantity                                        | 2                                                                                 |
| Center to Center Distance Between Bolt Holes Along Length | 1.245 INCHES MINIMUM AND 1.255 INCHES MAXIMUM LOCATION NOT OTHERWISE SPECIFIED IN |
| Surface Treatment                                         | ANODIZE OVERALL                                                                   |
| Material                                                  | RUBBER CHLOROPRENE CLASS CR OVERALL                                               |
| Hole Diameter                                             | 0.281 INCHES NOMINAL LOCATION NOT OTHERWISE SPECIFIED IN                          |

LIFECYCLE & COMPLIANCE

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Acquisition Status | ACTIVE                                             |
| DEMIL Code         | DEMIL A — NO DEMILITARIZATION REQUIRED             |
| Hazard             | POSSIBLE HAZARD — SDS MAY BE REQUIRED (DLA HMIC P) |
| Criticality Code   | X                                                  |

CROSS-REFERENCE INDEX

| PART NUMBER                    | MANUFACTURER                                                                |
|--------------------------------|-----------------------------------------------------------------------------|
| PWA52426-22B           PRIMARY | Rtx Corporation Db <span></span> a Pratt & Whitney Div Pratt &whitney (USA) |

No interchangeability data on file.

OTHER ITEMS IN FSC 5330 — PACKING AND GASKET MATERIALS

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

|                                        |                                                      |                                                              |                                                              |
|----------------------------------------|------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| 5330-00-000-0085<br>RETAINER           | 5330-00-000-0167<br>PARTS KIT,SEAL REPLACEMENT,MECHA | 5330-00-000-5275<br>5330-00-000-5275 · Item name not on file | 5330-00-001-1260<br>SEAL,NONMETALLIC SPECIAL SHAPED          |
| 5330-00-001-1833<br>SEAL,PLAIN ENCASED | 5330-00-001-1844<br>GLAND,RESERVOIR,INDICATOR END    | 5330-00-001-1845<br>5330-00-001-1845 · Item name not on file | 5330-00-001-1846<br>5330-00-001-1846 · Item name not on file |

FREQUENTLY ASKED QUESTIONS

What is NSN 5330-01-059-0287?

NSN 5330-01-059-0287 is a Gasket, manufactured by Rtx Corporation DbA Pratt & Whitney Div Pratt &whitney, classified under FSC 5330, Packing and Gasket Materials. Status: active.

What part numbers are listed for NSN 5330-01-059-0287?

NSN 5330-01-059-0287 has 1 manufacturer part number on file: PWA52426-22B (Rtx Corporation DbA Pratt & Whitney Div Pratt &whitney).

What are the specifications of PWA52426-22B?

Key specifications for PWA52426-22B: Surface Treatment Document and Classification: AMS 2471 ASSN STD SINGLE TREATMENT RESPONSE OVERALL; Cross-Sectional Thickness: 0.125 INCHES NOMINAL IN; Hardness Rating: 35.0 SHORE DUROMETER A MINIMUM AND 40.0 SHORE DUROMETER A MAXIMUM OVERALL; Overall Length: 2.000 INCHES NOMINAL IN. 9 specifications are documented in the U.S. Government catalog.

Is NSN 5330-01-059-0287 hazardous material?

Possible hazard — SDS may be required (DLA HMIC P). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.  
U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.

[partstable.com/parts/5330-01-059-0287](https://partstable.com/parts/5330-01-059-0287)

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.

 PartsTable Design LLC · [partstable.com](https://partstable.com)