



[Home](#) > [MRO](#) > [Hardware and Abrasives](#) > **5340-01-059-4583**

Handle, Bail

5340-01-059-4583

NSN 5340-01-059-4583 · NIIN 010594583 · Part number R1015-2

Unicorp. · FSC 5340 — Hardware, Commercial · FSG 53 — Hardware and Abrasives · CAGE 04729



GOVERNMENT RECORD, CITED

NSN 5340-01-059-4583 — this item is cataloged by the U.S. Government under National Stock Number 5340-01-059-4583. Manufacturer of record part number: **R1015-2**.

ALSO SEARCHED AS 5340-01-059-4583 · 5340010594583 · NIIN 010594583 · 01-059-4583 · FSC 5340 Hardware, Commercial · CAGE 04729 · R1015-2 · 582R209H12 · 582R209H12 · VPC280

NEARBY STOCK NUMBERS [← 5340-01-059-4470](#) · [5340-01-059-4712 →](#)

FEATURES

- Handle,bail — FSC 5340
- Mounting Facility Quantity: 2
- Surface Treatment Document and Classification: MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE HANDLE
- Surface Treatment Document and Classification: MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE FERRULE
- Inside Length: 2.720 INCHES NOMINAL IN
- Center to Center Distance Between Mounting Facilities Parallel to Length: 3.000 INCHES NOMINAL IN
- Mounting Facility Length: 1.213 INCHES NOMINAL IN
- Mounting Method: PIN(S)

IDENTIFICATION

- NSN: 5340-01-059-4583
- NIIN: 010594583
- FSC: 5340 — Hardware, Commercial
- FSG: 53 — Hardware and Abrasives
- Primary part number: R1015-2
- Manufacturer: Unicorp.

GENERAL DESCRIPTION

The Handle,bail, cataloged under National Stock Number 5340-01-059-4583, is classified within Federal Supply Class 5340 (Hardware, Commercial) of the Hardware and Abrasives group. The manufacturer of record is Unicorp.. Government technical data includes 11 specifications, cited from the U.S. Government catalog. The record lists 2 manufacturer part numbers for this item, enabling identification through both NSN and commercial part number lookups. 2 additional reference documents (drawings, advisory and superseded references) are recorded in the U.S. Government catalog. Current acquisition status: Active. Unit of issue: EA.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	5340-01-059-4583
Primary Part Number	R1015-2
Item Name	Handle,bail

PARAMETER	VALUE
FSC / FSG	5340 / 53 — Hardware, Commercial
Manufacturer	Unicorp.
Status	ACTIVE
Mounting Facility Quantity	2
Surface Treatment Document and Classification	MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE HANDLE
Surface Treatment Document and Classification	MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE FERRULE
Inside Length	2.720 INCHES NOMINAL IN
Center to Center Distance Between Mounting Facilities Parallel to Length	3.000 INCHES NOMINAL IN
Mounting Facility Length	1.213 INCHES NOMINAL IN
Mounting Method	PIN(S)
Style Designator	EYE HOOK
Stock Diameter	0.280 INCHES NOMINAL IN
Surface Treatment	ANODIZE HANDLE
Surface Treatment	ANODIZE FERRULE

LIFECYCLE & COMPLIANCE

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A — NO DEMILITARIZATION REQUIRED
Hazard	POSSIBLE HAZARD — SDS MAY BE REQUIRED (DLA HMIC P)
Criticality Code	X
Unit of Issue	EA

CROSS-REFERENCE INDEX

PART NUMBER	MANUFACTURER
582R209H12	Northrop Grumman Support Services Corp (USA)
R1015-2 PRIMARY	Unicorp. (USA)

REFERENCE DOCUMENTS

REFERENCE	MEANING
582R209H12	5/9 Secondary reference U.S. Government activity
VPC280	5/9 Secondary reference Vemaline Products Inc Dba Handles Unlimited Div Handles Unlimited

FREQUENTLY ASKED QUESTIONS

What is NSN 5340-01-059-4583?

NSN 5340-01-059-4583 is a Handle,bail, manufactured by Unicorp., classified under FSC 5340, Hardware, Commercial. Status: active.

What part numbers are listed for NSN 5340-01-059-4583?

NSN 5340-01-059-4583 has 2 manufacturer part numbers on file: 582R209H12 (Northrop Grumman Support Services Corp), R1015-2 (Unicorp.).

What are the specifications of R1015-2?

Key specifications for R1015-2: Mounting Facility Quantity: 2; Surface Treatment Document and Classification: MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE HANDLE; Surface Treatment Document and Classification: MIL-A-8625,TYPE 2,CLASS 2 MIL SPEC SINGLE TREATMENT RESPONSE FERRULE; Inside Length: 2.720 INCHES NOMINAL IN. 11 specifications are documented in the U.S. Government catalog.

Is NSN 5340-01-059-4583 hazardous material?

Possible hazard — SDS may be required (DLA HMIC P). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.

partstable.com/parts/5340-01-059-4583

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.

 PartsTable Design LLC · partstable.com