

Bracket, Double Angle

5340-01-059-5942

NSN 5340-01-059-5942 · NIIN 010595942

FSC 5340 — Hardware, Commercial · FSG 53 — Hardware and Abrasives

 **GOVERNMENT RECORD, CITED**

ALSO SEARCHED AS 5340-01-059-5942 · 5340010595942 · NIIN 010595942 · 01-059-5942 · FSC 5340 Hardware, Commercial · 51B107-06 · 51B107-06

NEARBY STOCK NUMBERS ← 5340-01-059-5941 Bracket, Angle · 5340-01-059-5951 →

FEATURES

- Bracket,double Angle — FSC 5340
- Second Leg Distance From Edge to Hole Center Along Length: 0.280 INCHES NOMINAL IN
- First Leg Distance From Edge to Hole Center Along Length: 0.240 INCHES NOMINAL IN
- First Leg Hole Diameter: 0.189 INCHES NOMINAL IN
- First Leg Angle: 90.0 DEGREES NOMINAL
- Center Section Thickness: 0.063 INCHES NOMINAL IN
- Second Leg Relationship to First Leg: NOT IDENTICAL
- Second Leg Angle: 90.0 DEGREES NOMINAL

IDENTIFICATION

- NSN: 5340-01-059-5942
- NIIN: 010595942
- FSC: 5340 — Hardware, Commercial
- FSG: 53 — Hardware and Abrasives

GENERAL DESCRIPTION

The Bracket,double Angle, cataloged under National Stock Number 5340-01-059-5942, is classified within Federal Supply Class 5340 (Hardware, Commercial) of the Hardware and Abrasives group. Government technical data includes 27 specifications, cited from the U.S. Government catalog. 2 additional reference documents (drawings, advisory and superseded references) are recorded in the U.S. Government catalog. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	5340-01-059-5942
Item Name	Bracket,double Angle
FSC / FSG	5340 / 53 — Hardware, Commercial
Status	ACTIVE
Second Leg Distance From Edge to Hole Center Along Length	0.280 INCHES NOMINAL IN
First Leg Distance From Edge to Hole Center Along Length	0.240 INCHES NOMINAL IN
First Leg Hole Diameter	0.189 INCHES NOMINAL IN
First Leg Angle	90.0 DEGREES NOMINAL
Center Section Thickness	0.063 INCHES NOMINAL IN
Second Leg Relationship to First Leg	NOT IDENTICAL
Second Leg Angle	90.0 DEGREES NOMINAL
Second Leg Hole Diameter	0.098 INCHES NOMINAL IN

PARAMETER	VALUE
Second Leg Width	1.060 INCHES NOMINAL IN
Second Leg Length	0.680 INCHES NOMINAL IN
First Leg Hole Arrangement Style	ONE HOLE
Second Leg Distance From Edge to Hole Center Along Width	0.280 INCHES NOMINAL IN
Center Section Width	1.060 INCHES NOMINAL IN
Style Designator	DOUBLE ANGLE
First Leg Style	SQUARE
Material Document and Classification	QQ-A-250/5,ALCLAD T3 FED SPEC SINGLE MATERIAL RESPONSE
Second Leg Thickness	0.063 INCHES NOMINAL IN
First Leg Distance From Edge to Hole Center Along Width	0.530 INCHES NOMINAL IN
First Leg Thickness	0.063 INCHES NOMINAL IN
First Leg Length	0.680 INCHES NOMINAL IN
First Leg Width	1.060 INCHES NOMINAL IN
Second Leg Style	SQUARE
Surface Treatment	ANODIZE OR CHROMATE
Material	ALUMINUM ALLOY 2024
Second Leg Hole Arrangement Style	TWO HOLES
Second Leg Distance Between Hole Centers Along Width	0.500 INCHES NOMINAL IN
Center Section Height	1.250 INCHES NOMINAL IN

LIFECYCLE & COMPLIANCE

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A – NO DEMILITARIZATION REQUIRED
Hazard	POSSIBLE HAZARD – SDS MAY BE REQUIRED (DLA HMIC P)
Criticality Code	X

CROSS-REFERENCE INDEX

No manufacturer part numbers on file in the U.S. Government catalog.

REFERENCE DOCUMENTS

REFERENCE	MEANING
51B107-06	3/9 Design control – primary reference Northrop Grumman Systems Corporation Db a Northrop Grumman Is Div Northrop Grumman Aeronautics Systems
51B107-06	C/1 Advisory reference – outside the item-of-supply concept Northrop Grumman Technical Services, Inc. Db a Defense Systems Sector

No interchangeability data on file.

OTHER ITEMS IN FSC 5340 – HARDWARE, COMMERCIAL

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

5340-00-000-0068 COVER,ACCESS	5340-00-000-0132 SEAT,HELICAL COMPRESSION SPRING	5340-00-000-8150 5340-00-000-8150 · Item name not on file	5340-00-001-1251 5340-00-001-1251 · Item name not on file
5340-00-001-1264 STRAP,WEBBING	5340-00-001-1265 STRAP,WEBBING	5340-00-001-1266 STRAP,WEBBING	5340-00-001-1275 HANDLE,DOOR

FREQUENTLY ASKED QUESTIONS

What is NSN 5340-01-059-5942?

NSN 5340-01-059-5942 is a Bracket,double Angle, classified under FSC 5340, Hardware, Commercial. Status: active.

What are the specifications of 5340-01-059-5942?

Key specifications for 5340-01-059-5942: Second Leg Distance From Edge to Hole Center Along Length: 0.280 INCHES NOMINAL IN; First Leg Distance From Edge to Hole Center Along Length: 0.240 INCHES NOMINAL IN; First Leg Hole Diameter: 0.189 INCHES NOMINAL IN; First Leg Angle: 90.0 DEGREES NOMINAL. 27 specifications are documented in the U.S. Government catalog.

Is NSN 5340-01-059-5942 hazardous material?

Possible hazard — SDS may be required (DLA HMIC P). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.
U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.
partstable.com/parts/5340-01-059-5942

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.
 PartsTable Design LLC · partstable.com