



Home > MRO > Lighting Fixtures and Lamps > 6230-00-059-5750

Holder, Light

6230-00-059-5750

NSN 6230-00-059-5750 · NIIN 000595750 · Part number 10897492

U S Army Tank Automotive Command Amsta-Im-Mm · FSC 6230 — Electric Portable and Hand Lighting Equipment · FSG 62 — Lighting Fixtures and Lamps · CAGE 19207

GOVERNMENT RECORD, CITED

NSN 6230-00-059-5750 — this item is cataloged by the U.S. Government under National Stock Number 6230-00-059-5750. Manufacturer of record part number: **10897492**.

ALSO SEARCHED AS 6230-00-059-5750 · 62300000595750 · NIIN 000595750 · 00-059-5750 · FSC 6230 Electric Portable and Hand Lighting Equipment · CAGE 19207 · 10897492

NEARBY STOCK NUMBERS ← 6230-00-059-2422 · 6230-00-060-6533 →

FEATURES

- Holder,light — FSC 6230
- Mounting Facility Type and Quantity: 2 UNTHREADED HOLE(S) SINGLE MOUNTING FACILITY
- Surface Treatment Document and Classification: TT-E-529 FED SPEC SINGLE TREATMENT RESPONSE
- Overall Diameter: 2.250 INCHES NOMINAL IN
- Unthreaded Mounting Hole Diameter: 0.281 INCHES MINIMUM AND 0.291 INCHES MAXIMUM SINGLE MOUNTING FACILITY IN
- Style Designator: CYLINDRICAL
- Surface Treatment: ENAMEL
- 1 manufacturer part number on file

IDENTIFICATION

- NSN: 6230-00-059-5750
- NIIN: 000595750
- FSC: 6230 — Electric Portable and Hand Lighting Equipment
- FSG: 62 — Lighting Fixtures and Lamps
- Primary part number: 10897492
- Manufacturer: U S Army Tank Automotive Command Amsta-Im-Mm

GENERAL DESCRIPTION

The Holder,light, cataloged under National Stock Number 6230-00-059-5750, is classified within Federal Supply Class 6230 (Electric Portable and Hand Lighting Equipment) of the Lighting Fixtures and Lamps group. The manufacturer of record is U S Army Tank Automotive Command Amsta-Im-Mm. Government technical data includes 6 specifications, cited from the U.S. Government catalog. The record lists 1 manufacturer part number for this item, enabling identification through both NSN and commercial part number lookups. Current acquisition status: Active.

TECHNICAL SPECIFICATIONS

PARAMETER	VALUE
NSN	6230-00-059-5750
Primary Part Number	10897492
Item Name	Holder,light
FSC / FSG	6230 / 62 — Electric Portable and Hand Lighting Equipment
Manufacturer	U S Army Tank Automotive Command Amsta-Im-Mm
Status	ACTIVE
Mounting Facility Type and Quantity	2 UNTHREADED HOLE(S) SINGLE MOUNTING FACILITY

PARAMETER	VALUE
Surface Treatment Document and Classification	TT-E-529 FED SPEC SINGLE TREATMENT RESPONSE
Overall Diameter	2.250 INCHES NOMINAL IN
Unthreaded Mounting Hole Diameter	0.281 INCHES MINIMUM AND 0.291 INCHES MAXIMUM SINGLE MOUNTING FACILITY IN
Style Designator	CYLINDRICAL
Surface Treatment	ENAMEL

LIFECYCLE & COMPLIANCE

Acquisition Status	ACTIVE
DEMIL Code	DEMIL A – NO DEMILITARIZATION REQUIRED
Hazard	POSSIBLE HAZARD – SDS MAY BE REQUIRED (DLA HMIC P)
Criticality Code	X

CROSS-REFERENCE INDEX

PART NUMBER	MANUFACTURER
10897492 PRIMARY	U S Army Tank Automotive Command Amsta-Im-Mm (USA)

No interchangeability data on file.

OTHER ITEMS IN FSC 6230 – ELECTRIC PORTABLE AND HAND LIGHTING EQUIPMENT

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

6230-00-001-1310 6230-00-001-1310 · Item name not on file	6230-00-003-4373 BRACKET,EDGE LIGHT	6230-00-005-5294 6230-00-005-5294 · Item name not on file	6230-00-005-5296 6230-00-005-5296 · Item name not on file
6230-00-005-7871 6230-00-005-7871 · Item name not on file	6230-00-006-1500 GUARD,LAMP	6230-00-006-1897 LANTERN,ELECTRIC	6230-00-006-4187 6230-00-006-4187 · Item name not on file

FREQUENTLY ASKED QUESTIONS

What is NSN 6230-00-059-5750?

NSN 6230-00-059-5750 is a Holder,light, manufactured by U S Army Tank Automotive Command Amsta-Im-Mm, classified under FSC 6230, Electric Portable and Hand Lighting Equipment. Status: active.

What part numbers are listed for NSN 6230-00-059-5750?

NSN 6230-00-059-5750 has 1 manufacturer part number on file: 10897492 (U S Army Tank Automotive Command Amsta-Im-Mm).

What are the specifications of 10897492?

Key specifications for 10897492: Mounting Facility Type and Quantity: 2 UNTHREADED HOLE(S) SINGLE MOUNTING FACILITY; Surface Treatment Document and Classification: TT-E-529 FED SPEC SINGLE TREATMENT RESPONSE; Overall Diameter: 2.250 INCHES NOMINAL IN; Unthreaded Mounting Hole Diameter: 0.281 INCHES MINIMUM AND 0.291 INCHES MAXIMUM SINGLE MOUNTING FACILITY IN. 6 specifications are documented in the U.S. Government catalog.

Is NSN 6230-00-059-5750 hazardous material?

Possible hazard — SDS may be required (DLA HMIC P). Hazard information on this page is shown exactly as it appears in the DLA record.

SOURCES

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-16.

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable — the parts reference. Every fact cited to its source.

partstable.com/parts/6230-00-059-5750

✓ Data cited from the U.S. Government catalog; commercial cross-references from OEM and certified industry sources.

 PartsTable Design LLC · partstable.com