

Home > 68356-1102

68356-1102 — RING,WEARING

✓ Government record, cited

— · COMPONENT

PRODUCT OVERVIEW

68356-1102: RING,WEARING.

The RING,WEARING is a the manufacturer industrial component. Key specifications include material: COPPER ALLOY, body_style: PLAIN, corner_shape: SQUARE OUTSIDE LEFT CORNER, chamfer_angle: 45.0 DEGREES NOMINAL INSIDE RIGHT CORNER, chamfer_length: 0.062 INCHES NOMINAL INSIDE RIGHT CORNER IN, overall_length: 0.750 INCHES NOMINAL IN. This part is cataloged in the U.S.

Government catalog under NSN 4320-00-212-9729, indicating validated use in U.S. government and defense logistics supply chains. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

68356-1102


NSN: 4320-00-212-9729
FSC: 4320 — Power and Hand Pumps
CAGE: 25681 — ITT GOULDS PUMPS, INC. (USA)

SPECIFICATIONS

material	COPPER ALLOY
body_style	PLAIN
corner_shape	SQUARE OUTSIDE LEFT CORNER
chamfer_angle	45.0 DEGREES NOMINAL INSIDE RIGHT CORNER
chamfer_length	0.062 INCHES NOMINAL INSIDE

	RIGHT CORNER IN
overall_length	0.750 INCHES NOMINAL IN
body_inside_diameter	3.858 INCHES MINIMUM AND 3.860 INCHES MAXIMUM IN
body_outside_diameter	4.404 INCHES MINIMUM AND 4.406 INCHES MAXIMUM IN
material_document_and_classification	QQ-C- 390,ALLOY D5 FED SPEC SINGLE MATERIAL RESPONSE
NSN	4320-00- 212-9729

COMPONENT DIAGRAM



KEY FEATURES

- CORNER SHAPE: SQUARE OUTSIDE RIGHT CORNER
- CHAMFER LENGTH: 0.062 INCHES NOMINAL INSIDE RIGHT CORNER IN
- BODY STYLE: PLAIN
- BODY OUTSIDE DIAMETER: 4.404 INCHES MINIMUM AND 4.406 INCHES MAXIMUM IN
- MATERIAL DOCUMENT AND CLASSIFICATION: QQ-C-390,ALLOY D5 FED SPEC SINGLE MATERIAL RESPONSE

TECHNICAL CHARACTERISTICS

CORNER SHAPE	SQUARE OUTSIDE RIGHT CORNER
CORNER SHAPE	SQUARE OUTSIDE LEFT CORNER
CORNER SHAPE	SQUARE INSIDE LEFT CORNER
CORNER SHAPE	CHAMFERED INSIDE RIGHT CORNER
CHAMFER LENGTH	0.062 INCHES NOMINAL INSIDE RIGHT CORNER IN
BODY STYLE	PLAIN
BODY OUTSIDE DIAMETER	4.404 INCHES MINIMUM AND 4.406 INCHES MAXIMUM IN
MATERIAL DOCUMENT AND CLASSIFICATION	QQ-C-390,ALLOY D5 FED SPEC SINGLE MATERIAL RESPONSE
OVERALL LENGTH	0.750 INCHES NOMINAL IN
BODY INSIDE DIAMETER	3.858 INCHES MINIMUM AND 3.860 INCHES MAXIMUM IN

OTHER ITEMS IN FSC 4320 — POWER AND HAND PUMPS

Items in the same Federal Supply class. No interchangeability or substitution relationship is implied.

4320-00-001-1633	4320-00-001-2628	4320-00-001-2629	4320-00-001-2630
4320-00-001-2631	4320-00-001-2632	4320-00-001-3377	4320-00-001-3384

SUBSTITUTES & CROSS-REFERENCES 2

LIFECYCLE

S4700H3113995ALT1PC39 [Reference document](#)

Same NSN cross-reference
Reference document — Secondary reference

68356-1109 [Reference document](#)

Same NSN cross-reference
Reference document — Secondary reference

NSN status **Active** · U.S. Government catalog

Acquisition advice: Normally procured from the manufacturer (OEM)

No demilitarization required

FREQUENTLY ASKED QUESTIONS

What is 68356-1102?

68356-1102 is a RING,WEARING.

What parts can replace 68356-1102?

There are 2 known substitutes for 68356-1102: S4700H3113995ALT1PC39, 68356-1109. Substitute compatibility should be verified for your specific system.

What is the NSN for 68356-1102?

68356-1102 is cataloged in the U.S. Government catalog under NSN 4320-00-212-9729. This indicates validated use in U.S. government and defense supply chains.

✓ PartsTable — the parts reference. Every fact cited to its source.

 PartsTable Design LLC · partstable.com

U.S. Government catalog: edition PUBLOGDVD v12.0.0 (OCT 2026), edition date 2026-10-01, retrieved 2026-10-18.

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.