



Home > FUJITSU > S26361-F5692-E192

S26361-F5692-E192 – Storage Datasheet

FUJITSU · DRIVE LFF

WHAT YOU NEED TO KNOW

SAS backplane supports SATA, not vice versa NL-SAS = SAS protocol at nearline (7.2K) speed — NOT SATA

⚠ Gen8 LFF tray ≠ Gen10 tray — different screw holes

PRODUCT OVERVIEW

1.92TB 3.5" (LFF) SATA 6Gb/s Mixed Use 3.0 (RX2540 M4). The unit ships in a LFF form factor suitable for standard rack-mount installations. Available through authorized enterprise resellers and TPM (Third Party Maintenance) channels.

Verify compatibility with your specific system configuration before ordering.

WHERE IT FITS

LFF BAY



S26361-F5692-E192


SPECIFICATIONS

Part Number	S26361-F5692-E192
Manufacturer	FUJITSU
Form Factor	LFF
Interface	SATA 6Gb/s
Capacity	1.92TB
Speed	6Gb/s

FITS THESE MACHINES

Fujitsu Primergy RX2540 M4

COMPONENT DIAGRAM



KEY FEATURES

- LFF Form Factor
- SATA 6Gb/s Interface
- 1.92TB Capacity
- 6Gb/s Speed

SUBSTITUTES & CROSS-REFERENCES

No substitute or cross-reference records for this part.

LIFECYCLE

No lifecycle data available.

FREQUENTLY ASKED QUESTIONS

What is S26361-F5692-E192?

S26361-F5692-E192 is a 1.92TB 3.5" (LFF) SATA 6Gb/s Mixed Use 3.0 (RX2540 M4) manufactured by FUJITSU.

Is S26361-F5692-E192 still available?

S26361-F5692-E192 is currently Unknown.

✓ PartsTable — the parts reference. Every fact cited to its source.

 PartsTable Design LLC · partstable.com

PartsTable commercial catalog: edition Unified commercial catalog snapshot through 2026-09-28, edition date not on file, retrieved 2026-09-28.